

12-17-2002

MATERIAL SAFETY DATA SHEET

REVISION DATE: 11-01-2002

SUPERSEDES:

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

COMPANY INFORMATION

Rezolin, LLC
 131-A7 Business Center Drive
 Ormond Beach, FL 32174
 Phone: 386-677-8238

PRODUCT INFORMATION

TRADE NAME: A + B[®] Epoxy Putty
 PRODUCT NUMBER: 9900B
 PRODUCT DESCRIPTION: Epoxy putty hardener

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS # | PERCENT | OSHA PEL |
|-------------------------|------------|---------|-----------------|
| Tetraethylene pentamine | 68513-05-3 | 10 - 30 | Not established |

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Eye irritant.
 Can cause skin irritation. May cause allergic skin reaction.
 Harmful if swallowed.

HMIS RATING: HEALTH -- 1 FLAMMABILITY -- 1 REACTIVITY -- 0

See SECTION 7: EXPOSURE CONTROLS/PERSONAL PROTECTION for personal protective equipment recommendations.

POTENTIAL HEALTH EFFECTS BY ROUTE OF ENTRY

EYE: Can cause irritation. Eye contact may result in cornea injury. Symptoms may include discomfort or pain excessive blinking and ear production, with marked redness and swelling of the conjunctiva.

SKIN: Can cause skin irritation. May cause sensitization.

INHALATION: Can cause minor respiratory irritation. Inhalation of dusts produced during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.

INGESTION: Ingestion is not an anticipated route of exposure. Harmful if swallowed. Irritating to mouth, throat, and stomach.

REGULATED CARCINOGEN STATUS:

Unless noted below, this product does not contain regulated levels of NTP, IARC, ACGIH, or OSHA listed carcinogens.

EXISTING HEALTH CONDITIONS AFFECTED BY EXPOSURE: Skin and eye conditions

SECTION 4: FIRST AID MEASURES

IF IN EYES: Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get medical attention if irritation persists.

12-17-2002

MATERIAL SAFETY DATA SHEET

IF ON SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

IF VAPORS INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Drink one glass of water followed by milk if available. Seek medical attention immediately. Do not give anything by mouth to an unconscious person.

SECTION 5: FIRE FIGHTING MEASURES

| | |
|-------------------------------------|---|
| FLASH POINT: | 204C; 399F |
| AUTOIGNITION TEMPERATURE: | Not established |
| LOWER EXPLOSIVE LIMIT (% in air): | Not established |
| UPPER EXPLOSIVE LIMIT (% in air): | Not established |
| EXTINGUISHING MEDIA: | Use water spray, foam, dry chemical or carbon dioxide. |
| UNUSUAL FIRE AND EXPLOSION HAZARDS: | Material will burn in a fire. |
| SPECIAL FIRE FIGHTING INSTRUCTIONS: | Persons exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment. |
| HAZARDOUS COMBUSTION PRODUCTS: | Carbon dioxide, Carbon monoxide, Nitrogen containing gases, Silicon dioxide |

SECTION 6: HANDLING AND STORAGE

Storage: Store in a cool, dry place.

Consult the Technical Data Sheet for specific storage instructions.

SECTION 7: EXPOSURE CONTROLS/PERSONAL PROTECTION

| | |
|-------------------------|---|
| EYE PROTECTION: | Wear safety glasses with side shields when handling this product. |
| SKIN PROTECTION: | Avoid skin contact by wearing rubber gloves. |
| GLOVES: | Polyethylene for prolonged use. |
| RESPIRATORY PROTECTION: | None required for normal use. Use dust mask if grinding or sanding. |
| VENTILATION: | None required for normal use or use local exhaust ventilation. |

EXPOSURE LIMITS:

| Chemical Name | ACGIH EXPOSURE LIMITS | AIHA WEEL |
|-------------------------|-----------------------|-----------------|
| Tetraethylene pentamine | Not established | Not established |

SECTION 8: PHYSICAL AND CHEMICAL PROPERTIES

| | |
|----------------------------------|-----------------|
| PHYSICAL STATE: | Semi-solid |
| COLOR: | Tan |
| ODOR: | Mild |
| ODOR THRESHOLD: | Not established |
| WEIGHT PER GALLON (lbs.): | 15.5 |
| SPECIFIC GRAVITY: | 1.95 |
| pH: | Not established |
| BOILING POINT (deg. C): | Not established |
| FREEZING/MELTING POINT (deg. C): | Not established |
| VAPOR PRESSURE (mm Hg): | Not established |
| VAPOR DENSITY: | Not established |
| EVAPORATION RATE: | Not established |
| OCTANOL/WATER COEFFICIENT: | Not established |

12-17-2002

MATERIAL SAFETY DATA SHEET**SECTION 9: STABILITY AND REACTIVITY**

STABILITY: Stable under normal conditions.
 CHEMICAL INCOMPATIBILITY: Not established
 HAZARDOUS POLYMERIZATION: Will not occur.
 HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, Nitrogen containing gases, Silicon dioxide

SECTION 10: TOXICOLOGICAL INFORMATION

| CHEMICAL NAME | LD50/LC50 |
|-------------------------|-----------------|
| Tetraethylene pentamine | Not established |

TOXICOLOGY SUMMARY: No additional health information available.

SECTION 11: ECOLOGICAL INFORMATION

OVERVIEW: No ecological information available

SECTION 13: DISPOSAL CONSIDERATIONS

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. .

SECTION 14: TRANSPORTATION INFORMATION

Consult Bill of Lading for transportation information.
 DOT: NOT REGULATED

SECTION 15: REGULATORY INFORMATION**INVENTORY STATUS**

U.S. EPA TSCA: This product is in compliance with the Toxic Substances Control Act's Inventory requirements.

FEDERAL REPORTING**EPA SARA Title III Section 313**

Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 72. EPA has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations.

| Chemical Name | CAS# | % |
|---------------|------|---|
| | | |

WHMIS STATUS: Unless listed below, this product is not controlled under the Canadian Workplace Hazardous Materials Information System.

D2B D1B D2A

Prepared by: Rezolin, LLC
 Phone: 386-677-8238

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to Rezolin, LLC from its suppliers, and because Rezolin, LLC has no control over the conditions of handling and use, Rezolin, LLC makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and Rezolin, LLC assumes no responsibility for use or reliance thereon. It is the responsibility of the user of Rezolin, LLC products to comply with all applicable federal, state and local laws and regulations.